






série de correr / running series / série de correr / coulissant



roldanas - rolamento skate simples e duplo com afinação



materials / materials / materiales / matériaux

alumínio / aluminium / aluminio / aluminium
poliamida / polyamide / poliamida / polyamide

acabamento / finishing / acabado / finition

lacado / lacquered / lacado / laqué
anodizado / anodized / anodizado / anodisé

Technical drawing of the roller assembly. The side view shows a cylindrical roller with a central shaft, mounted on a rectangular frame. The front view shows the frame with a central circular opening and a small rectangular slot at the bottom. Dimensions are indicated: A is the width of the frame, B is the height of the frame, C is the length of the roller, and L is the length of the frame.

Technical drawing of the roller assembly. The side view shows a cylindrical roller with a central shaft, mounted on a rectangular frame. The front view shows the frame with a central circular opening and a small rectangular slot at the bottom. Dimensions are indicated: A is the width of the frame, B is the height of the frame, C is the length of the roller, and L is the length of the frame.

3D rendering of the roller assembly. The assembly consists of a white plastic frame with a central black roller. The frame has two blue adjustment screws on the sides. The roller is mounted on a central shaft that passes through the frame. The frame has a central circular opening and a small rectangular slot at the bottom.

Ref.		A	B	C	L	Carga máx. (kg)
D8028.1	super duplo	9	21	83.50	21.7	150
D8028.2	poliamida	9	21	83.50	21.7	60


Technical drawing of the roller assembly. The side view shows a long, rectangular body with a central slot and a threaded rod on the left. The front view shows a cross-section with dimensions A (width of the base), B (height of the body), C (total length), and L (length of the central slot).

3D rendering of the roller assembly. It shows a white, rectangular body with a central slot and a threaded rod on the left. A black roller is visible inside the slot, and the body has several mounting holes.

Ref.	mat.	A	B	C	L	Carga máx. (kg)
D8029.1	super duplo	9	21	151,5	21,8	300
D8029.2	poliamida	9	21	151,5	21,8	150



roldanas - rolamento redondo / rolamento reto



materials / materials / materiales / matériaux

1-alumínio / aluminium / aluminio / aluminium

2-poliamida / polyamide / poliamida / polyamide

acabamento / finishing / acabado / finition

lacado / lacquered / lacado / laqué


anodizado / anodized / anodizado / anodisé

		Ref.	Design	A	B	C	L	H	Mat.
D8001	b001 janela	6.0	12.9	36.5	16.0	16.0	2		
D8002	b001 porta	6.2	20.3	36.5	16.0	25.3	2		
D8005	b002	6.0	15.4	30.0	11.4	19.0	1		
D8010	b005	6.2	20.3	30.0	16.0	24.1	2		
D8016	sc	6.0	18.0	25.0	13.0	21.6	2		
D8017	sg	6.2	18.0	40.0	17.0	21.5	2		
D8018	sr	6.2	19.5	40.0	17.0	22.7	2		
D8019	mini	6.0	13.1	25.2	10.0	18.9	2		
D8021	114014	6.0	20.0	42.0	16.0	25.5	1		
D8022	114015	6.0	34.6	42.0	16.0	40.0	1		
D8024	sca janela	6.0	14.5	45.1	19.3	16.6	2		
D8025	sca porta	6.0	34.0	55.0	18.0	37.5	2		

		Ref.	Design	A	B	C	L	H	Mat.
D8006	b003 aluminio	9	22.0	38.1	27.5	25.0	1		
D8007	b003 horizonte	9	22.0	38.1	27.5	24.0	1		
D8009	b003 plástico	9	24.8	47.0	28.0	29.0	2		
D8014	cs	9	22.0	41.5	27.5	24.5	1		
D8015	cs especial agulha	9	22.0	41.5	27.5	24.5	1		



multipto 200



materials / materials / materiales / matériaux

zamac / zamak / zamak / zamak

inox / stainless steel / acero inoxidable / inox


embalagem / packing / embalaje / emballage

caixa 1 unid. / box 1 unit / caja 1 unid / boîte 1 unité





multiponto 600




materials / materials / materiales / matériaux

zamac / zamak / zamak / zamak

inox / stainless steel / acero inoxidable / inox

embalagem / packing / embalaje / emballage

caixa 1 unid. / box 1 unit / caja 1 unid / boîte 1 unité




*A 12mm - D1505.2

*B 14mm - D1505.8



multiponto 1000




materials / materials / materiales / matériaux

zamac / zamak / zamak / zamak

inox / stainless steel / acero inoxidable / inox

embalagem / packing / embalaje / emballage

caixa 1 unid. / box 1 unit / caja 1 unid / boîte 1 unité




*A 12mm - D1505.3

*B 14mm - D1505.9



multiponto com cilindro




materials / materials / materiales / matériaux

zamac / zamak / zamak / zamak

inox / stainless steel / acero inoxidable / inox


embalagem / packing / embalaje / emballage

caixa 1 unid. / box 1 unit / caja 1 unid / boîte 1 unité





multiponto extensão inferior




materials / materials / materiales / matériaux

zamac / zamak / zamak / zamak

inox / stainless steel / acero inoxidable / inox


embalagem / packing / embalaje / emballage

caixa 1 unid. / box 1 unit / caja 1 unid / boîte 1 unité





multipto extensão superior




materials / materials / materiales / matériaux

zamac / zamak / zamak / zamak

inox / stainless steel / acero inoxidable / inox

embalagem / packing / embalaje / emballage


caixa 1 unid. / box 1 unit / caja 1 unid / boîte 1 unité



D1505.6



fechos multiponto



materiais / materials / materiales / matériaux

alumínio / aluminium / aluminio / aluminium


acabamento / finishing / acabado / finition

lacado / lacquered / lacado / laqué

anodizado / anodized / anodizado / anodisé


embalagem / packing / embalaje / emballage

caixa 1 unid. / box 1 unit / caja 1 unid / boîte 1 unité



D0295HG

D0295BD




D1502.2

D1502



fecho minimalista



materials / materials / materiales / matériaux

alumínio / aluminium / aluminio / aluminium


acabamento / finishing / acabado / finition

lacado / lacquered / lacado / laqué

anodizado / anodized / anodizado / anodisé

embalagem / packing / embalaje / emballage

caixa 1 unid. / box 1 unit / caja 1 unid / boîte 1 unité




left: D1501.1

right: D1501



fecho de embutir



materiais / materials / materiales / matériaux

alumínio / aluminium / aluminio/ aluminium


acabamento / finishing / acabado / finition

lacado / lacquered / lacado / laqué


anodizado / anodized / anodizado / anodisé

embalagem / packing / embalaje / emballage

caixa 1 unid. / box 1 unit / caja 1 unid / boîte 1 unité




D1507 BD



D1507 HG



fecho de embutir com chave



sistema de fixação ajustável
adjustable fixing system
sistema de fijación ajustable
système de fixation réglable

materiais / materials / materiales / matériaux

alumínio / aluminium / aluminio/ aluminium


acabamento / finishing / acabado / finition

lacado / lacquered / lacado / laqué

anodizado / anodized / anodizado / anodisé


embalagem / packing / embalaje / emballage

caixa 1 unid. / box 1 unit / caja 1 unid / boîte 1 unité



fixação sem parafuso
fixing system without screws
fijación sin tornillos
fixation sans vis

D1507.1 BD




fixação sem parafuso
fixing system without screws
fijación sin tornillos
fixation sans vis

D1507.1 HG



fecho de embutir concha



sistema de fixação ajustável
adjustable fixing system
sistema de fijación ajustable
système de fixation réglable

materiais / materials / materiales / matériaux

alumínio / aluminium / aluminio/ aluminium


acabamento / finishing / acabado / finition

lacado / lacquered / lacado / laqué

anodizado / anodized / anodizado / anodisé


embalagem / packing / embalaje / emballage

caixa 1 unid. / box 1 unit / caja 1 unid / boîte 1 unité



fixação sem parafuso
fixing system without screws
fijación sin tornillos
fixation sans vis

D1507.2 BD





fixação sem parafuso
fixing system without screws
fijación sin tornillos
fixation sans vis

D1507.2 HG



fecho de embutir duplo



sistema de fixação ajustável
adjustable fixing system
sistema de fijación ajustable
système de fixation réglable

materiais / materials / materiales / matériaux

alumínio / aluminium / aluminio/ aluminium

acabamento / finishing / acabado / finition

lacado / lacquered / lacado / laqué

anodizado / anodized / anodizado / anodisé

embalagem / packing / embalaje / emballage

caixa 1 unid. / box 1 unit / caja 1 unid / boîte 1 unité



fixação sem parafuso
fixing system without screws
fijación sin tornillos
fixation sans vis

D1507.4 BD




fixação sem parafuso
fixing system without screws
fijación sin tornillos
fixation sans vis

D1507.4 HG



asa fecho de embutir



materiais / materials / materiales / matériaux

alumínio / aluminium / aluminio / aluminium

acabamento / finishing / acabado / finition

lacado / lacquered / lacado / laqué

anodizado / anodized / anodizado / anodisé

embalagem / packing / embalaje / emballage


caixa 1 unid. / box 1 unit / caja 1 unid / boîte 1 unité



D1507.3



ganchos



materiais / materials / materiales / matériaux

alumínio / aluminium / aluminio / aluminium

acabamento / finishing / acabado / finition

bruto / crude / crudo / brut







	Ref.	A	B	C	D	E
0	D6300.1	0	27	10	5	3
	D6300.2	0	30	10	5	3
	D6300.3	0	33	10	5	3
	D6300.4	0	36	10	5	3
	D6300.5	0	39	10	5	3
	D6300.6	0	41	10	5	3
	D6300.7	0	44	10	5	3
	D6300.8	0	47	10	5	3
1	D6300.9	1	27	10	5	3
	D6300.10	1	30	10	5	3
	D6300.11	1	33	10	5	3
	D6300.12	1	36	10	5	3
	D6300.13	1	39	10	5	3
	D6300.14	1	41	10	5	3
	D6300.15	1	44	10	5	3
	D6300.16	1	47	10	5	3
2	D6300.17	2	27	10	5	3
	D6300.18	2	30	10	5	3
	D6300.19	2	33	10	5	3
	D6300.20	2	36	10	5	3
	D6300.21	2	39	10	5	3
	D6300.22	2	41	10	5	3
	D6300.23	2	44	10	5	3
	D6300.24	2	47	10	5	3
3	D6300.25	3	27	10	5	3
	D6300.26	3	30	10	5	3
	D6300.27	3	33	10	5	3
	D6300.28	3	36	10	5	3
	D6300.29	3	39	10	5	3
	D6300.30	3	41	10	5	3
	D6300.31	3	44	10	5	3
	D6300.32	3	47	10	5	3



ganchos











	Ref.	A	B	C	D	E
4	D6300.33	4	27	10	5	3
	D6300.34	4	30	10	5	3
	D6300.35	4	33	10	5	3
	D6300.36	4	36	10	5	3
	D6300.37	4	39	10	5	3
	D6300.38	4	41	10	5	3
	D6300.39	4	44	10	5	3
	D6300.40	4	47	10	5	3
5	D6300.41	5	27	10	5	3
	D6300.42	5	30	10	5	3
	D6300.43	5	33	10	5	3
	D6300.44	5	36	10	5	3
	D6300.45	5	39	10	5	3
	D6300.46	5	41	10	5	3
	D6300.47	5	44	10	5	3
	D6300.48	5	47	10	5	3
6	D6300.49	6	27	10	5	3
	D6300.50	6	30	10	5	3
	D6300.51	6	33	10	5	3
	D6300.52	6	36	10	5	3
	D6300.53	6	39	10	5	3
	D6300.54	6	41	10	5	3
	D6300.55	6	44	10	5	3
	D6300.56	6	47	10	5	3
7	D6300.57	7	27	10	5	3
	D6300.58	7	30	10	5	3
	D6300.59	7	33	10	5	3
	D6300.60	7	36	10	5	3
	D6300.61	7	39	10	5	3
	D6300.62	7	41	10	5	3
	D6300.63	7	44	10	5	3
	D6300.64	7	47	10	5	3

	Ref.	A	B	C	D	E
8	D6300.65	8	27	10	5	3
	D6300.66	8	30	10	5	3
	D6300.67	8	33	10	5	3
	D6300.68	8	36	10	5	3
	D6300.69	8	39	10	5	3
	D6300.70	8	41	10	5	3
	D6300.71	8	44	10	5	3
	D6300.72	8	47	10	5	3
















contra fechos





contra fechos





contra fechos

